

| L<br>Number | Hits   | Search Text   | DB   | Time stamp          |
|-------------|--------|---|--|---------------------|
| -           | 98720  | error near3 correct\$4  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>13:44 |
| -           | 0      | error adj allocation adj table  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:51 |
| -           | 175    | error with allocat\$4 with table  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>13:46 |
| -           | 133007 | error with correct\$4   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>13:46 |
| -           | 977    | add\$4 near5 (error adj data)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>13:53 |
| -           | 0      | ((error with allocat\$4 with table) same<br>(error with correct\$4)) and (add\$4 near5<br>(error adj data)) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>13:54 |
| -           | 29     | (error with allocat\$4 with table) same<br>(error with correct\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:40 |
| -           | 7      | pseudocontour   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:01 |
| -           | 2      | pseudocontour with prevent\$4   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:02 |
| -           | 3      | pseudocontour and table   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:37 |
| -           | 0      | pseudocontour and (error with table)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:37 |
| -           | 0      | (error with allocat\$4 with table) same<br>(error with correct\$4) same (add\$4 near5<br>(error adj data))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:40 |
| -           | 0      | ((error with allocat\$4 with table) same<br>(error with correct\$4)) and (add\$4 near5<br>(error adj data)) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:40 |
| -           | 1      | ((error with allocat\$4 with table) and<br>(error with correct\$4)) and (add\$4 near5<br>(error adj data))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:40 |
| -           | 576    | error adj table   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:52 |
| -           | 3749   | error adj4 table  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:54 |
| -           | 696    | (error adj4 table) with correct\$4  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:53 |

|   |      |   |  |                     |
|---|------|---|--|---------------------|
| - | 2033 | error adj correction adj data                                       | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>14:54 |
| - | 15   | ((error adj4 table) with correct\$4) with<br>(quantiz\$6 raster\$6) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>15:50 |
| - | 5    | ("5621542" "5751929").pn.   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>15:53 |
| - | 0    | ((("5621542" "5751929").pn.) and<br>pseudocontour                   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/26<br>16:58 |
| - | 3    | ((("5621542" "5751929").pn.) and error and<br>quantiz\$6 and level  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/27<br>09:56 |
| - | 2    | ((("5621542" "5751929").pn.) and (error<br>with table)              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/11/27<br>09:57 |